

Pakistan (DHS 2006)

Table - Coverage of Countdown indicators at national level and by key equity stratifiers.

	Family planning needs satisfied	Contraceptive prevalence rate	Antenatal care (1+ visits, skilled provider)	Antenatal care (4+ visits, any provider)	Skilled attendant at delivery	C-section rate	Early initiation of breastfeeding	Postnatal care for babies born at home	Postnatal care for all babies	BCG vaccine	DTP3 vaccine	Measles vaccine	Vitamin A in last 6 mos.	ORT and continued feeding	Care seeking for pneumonia	ITN use by children	Improved drinking water source	Co-coverage (6 or more interventions)	Composite coverage index	
National	54.3	29.6	60.9	28.4	38.8	7.3	28.8	6.3	41.5	80.3	58.7	59.9	60.2	36.6	71.0	0.2	92.1	9.9	56.1	
Wealth quintiles																				
Q1	33.4	15.6	36.9	10.1	16.1	1.8	24.9	5.7	19.9	61.9	35.4	36.3	58.0	31.8	58.0	0.2	87.5	3.3	37.1	
Q2	43.1	20.8	48.3	14.4	24.7	2.2	27.7	4.7	26.3	73.3	48.0	50.5	56.1	36.0	65.2	0.1	90.6	7.1	46.9	
Q3	53.1	30.1	61.4	21.9	35.5	5.1	30.8	5.9	37.5	85.4	63.1	65.3	60.4	34.4	70.2	0.1	95.0	9.8	56.6	
Q4	64.9	36.8	73.7	38.4	52.1	10.7	31.9	9.3	54.1	91.7	72.5	74.9	62.2	39.1	79.7	0.1	94.9	15.5	67.0	
Q5	68.2	43.4	91.9	64.0	77.3	20.1	29.9	9.0	77.3	91.8	78.0	75.5	65.2	44.5	88.0	0.2	92.8	16.5	75.2	
Equity indicators																				
Q5/Q1 ratio	2.0	2.8	2.5	6.3	4.8	11.0	1.2	1.6	3.9	1.5	2.2	2.1	1.1	1.4	1.5	1.0	1.1	5.1	2.0	
Q5-Q1 difference	34.8	27.8	55.0	53.9	61.3	18.3	5.0	3.3	57.4	30.0	42.5	39.2	7.2	12.7	30.0	0.0	5.3	13.3	38.2	
Concentration index	13.9	20.5	18.3	37.4	31.2	48.9	5.1	11.9	28.1	8.4	16.1	14.8	3.1	6.7	8.8	-4.8	1.4	30.4	13.6	
SII	43.3	35.4	63.2	61.3	67.0	24.0	7.5	4.1	64.9	40.2	52.6	50.0	9.8	13.4	36.6	-0.1	7.6	18.1	48.2	
Maternal education																				
none	48.9	25.3	50.1	17.4	26.7	3.5	28.1	5.7	29.4	73.7	47.7	50.6	58.0	33.9	64.7	0.1	NA	6.7	48.3	
primary	58.4	34.4	70.1	32.0	46.5	8.8	29.6	6.7	47.6	87.5	65.3	66.4	64.0	43.8	81.0	0.3	NA	12.1	63.3	
secondary +	65.7	39.6	88.6	60.7	73.6	18.9	30.5	10.9	75.4	94.0	84.7	81.2	64.2	39.8	85.5	0.1	NA	18.9	74.2	
Child's sex																				
male	NA	NA	61.7	29.0	39.4	7.7	27.6	6.6	42.4	82.2	61.6	63.1	60.5	36.0	71.6	0.2	NA	10.6	NA	
female	NA	NA	60.0	27.7	38.1	6.8	30.3	5.9	40.4	78.2	55.4	56.1	59.8	37.2	70.2	0.2	NA	9.0	NA	
Area of residence																				
urban	65.2	41.1	78.1	48.3	60.1	12.9	28.4	8.6	63.0	89.3	68.4	68.8	61.9	37.7	82.2	0.1	92.7	13.4	67.5	
rural	47.5	23.9	53.5	19.8	29.8	4.9	29.0	5.7	32.2	76.2	54.2	55.7	59.4	36.1	66.8	0.2	91.9	8.4	50.7	
Country region																				
balochistan	31.5	14.4	40.7	7.3	23.0	1.5	41.9	1.7	20.5	63.0	47.4	54.0	53.6	36.1	56.1	0.4	85.3	5.1	41.0	
nwfp	44.9	24.9	51.3	18.0	37.9	2.9	34.8	3.8	34.8	71.1	56.4	56.6	56.5	35.3	49.9	ND	85.0	9.1	48.7	
punjab	59.2	33.2	60.9	29.3	37.7	9.2	30.4	5.0	40.2	85.5	64.7	65.1	57.5	33.0	73.8	0.1	95.5	11.0	58.6	
sindh	51.2	26.7	70.4	36.3	44.4	6.5	19.3	12.7	52.3	76.7	47.9	50.7	69.5	44.4	78.6	0.4	89.5	8.7	56.8	




Figure 1 - Coverage levels in the poorest and richest quintiles for selected interventions along the continuum of care.




Figure 2 - Coverage levels in the five wealth quintiles for selected interventions along the continuum of care.




Figure 3 - Co-coverage of health interventions: percentage of children aged 1-4 years according to the number of key child-survival interventions received, by wealth quintile.




Figure 4 - Composite coverage of selected interventions and corresponding coverage gap (how much is needed to reach universal coverage), by wealth quintile.